



Saving Autopilot Configuration


If you are using the FM-750 on a Trimble Autopilot system or in an Accuguide Ready Tractor, the settings on the Navigation Controller need to be Saved and Restored separate to the FM-750 itself.

If the Navigation Controller is being moved from one vehicle to another it is important to save the configuration to avoid the need to fully calibrate the Navigation when it is returned to the current vehicle.

The Autopilot settings will only save onto a USB Thumb Drive, the menu options to save it will not appear if a Thumb Drive is not present.

Insert the USB Thumb Drive into the FM-750 and wait for the **USB icon** (Top Right) and the words **USB drive is ready for use** is displayed at the bottom of the screen (See first picture below).

	<p>Press the Settings Icon.</p>
	<p>Press Vehicle.</p>
	<p>Press Auto Steer.</p>



<p>Auto Steer ?</p> <div style="text-align: center;">  </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> ← → Settings → Vehicle </div>	<p>Press Autopilot Configuration.</p>																																								
<p>Autopilot Configuration</p> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; justify-content: space-between;"> <div>Online Aggressiveness 100%</div> <div>Save Vehicle Configuration File</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Operator Alert Timeout 15 min</div> </div> <div style="display: flex; justify-content: space-between;"> <div>End of Row Warning Distance 27 m</div> </div> <div>NMEA Output</div> </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> ← → Settings → Vehicle → Auto Steer </div>	<p>Press Save Vehicle Configuration File.</p>																																								
<p>Create New</p> <div style="border: 1px solid gray; padding: 10px; background-color: #f0f0f0;"> <p style="text-align: center;">demo1</p> <table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>q</td><td>w</td><td>e</td><td>r</td><td>t</td><td>y</td><td>u</td><td>i</td><td>o</td><td>p</td></tr> <tr><td>a</td><td>s</td><td>d</td><td>f</td><td>g</td><td>h</td><td>j</td><td>k</td><td>l</td><td></td></tr> <tr><td>ABC</td><td>z</td><td>x</td><td>c</td><td>v</td><td>b</td><td>n</td><td>m</td><td></td><td></td></tr> <tr><td>123</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>←</td></tr> </table> </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: flex-end; align-items: center; gap: 10px;"> ✖ ✔ </div>	q	w	e	r	t	y	u	i	o	p	a	s	d	f	g	h	j	k	l		ABC	z	x	c	v	b	n	m			123									←	<p>Using the keypad provided by the FM-750 enter a name for the configuration file that will be downloaded to the USB Thumb Drive.</p> <p>When completed press the Green Tick to accept.</p>
q	w	e	r	t	y	u	i	o	p																																
a	s	d	f	g	h	j	k	l																																	
ABC	z	x	c	v	b	n	m																																		
123									←																																
<p>Autopilot Configuration</p> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; justify-content: space-between;"> <div>Online Aggressiveness 100%</div> <div>Save Vehicle Configuration File</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Operator Alert Timeout 15 min</div> </div> <div style="display: flex; justify-content: space-between;"> <div>End of Row Warning Distance 27 m</div> </div> <div>NMEA Output</div> </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> ← → Settings → Vehicle → Auto Steer </div>	<p>When the Autopilot configuration has saved the FM-750 will display a message.</p> <p>Press OK.</p> <p>When the configuration has been saved, it will return you to the Autopilot Configuration.</p>																																								


Restoring Autopilot Configuration

You will need to restore the Autopilot settings if you move the Navigation Controller to a Vehicle that you have previously saved or if you need to reload previous settings for any reason.

The Autopilot settings will only restore from a USB Thumb Drive, the menu options to restore it will not appear if a Thumb Drive is not present.

Insert the USB Thumb Drive into the FM-750 and wait for the **USB icon** (bottom left) to go green and the words **USB drive is ready for use** is displayed at the bottom of the screen (See first picture below).

	<p>Press the Settings Icon.</p>
	<p>Press Vehicle.</p>
	<p>Press Auto Steer.</p>

<p>Auto Steer ?</p> <div style="text-align: center;">  </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> ← → Settings → Vehicle </div>	<p>Press Autopilot Configuration.</p>
	<p>Press Load Vehicle Configuration File.</p> <p>Choose the configuration setup you require.</p> <p>Press the Green Tick to accept.</p>
<p>Autopilot Configuration</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <ul style="list-style-type: none"> Online Aggressiveness 100% Operator Alert Timeout 15 min End of Row Warning Distance 27 m NMEA Output </div> <div style="width: 45%; text-align: right;"> Save Vehicle Configuration File </div> </div> <div style="background-color: black; color: white; padding: 5px; display: flex; justify-content: space-between; align-items: center;"> ← → Settings → Vehicle → Auto Steer </div>	<p>When the Autopilot configuration has loaded, the FM-750 will display a message.</p> <p>Press OK.</p> <p>When the configuration has been loaded, it will return you to the Autopilot Configuration.</p>

